

Patient:

Physician information:

REQUEST FORM—HIV DRUG RESISTANCE TEST (GENOTYPIC)

SAMPLE TYPE: 3 ML EDTA-BLOOD (CELL COUNT ≤ 1500 COP/ML PLEASE 10 ML EDTA-BLOOD!)

PATIENT:

Recent CD4 cell count (abs/rel): _____ Viral load (cop/ml): _____

CLINICAL CLASSIFICATION:

- | | |
|--|--|
| <input type="checkbox"/> Therapy naive | <input type="checkbox"/> compliant |
| <input type="checkbox"/> Therapy experienced / failure | <input type="checkbox"/> non-compliant |

PATIENTS HISTORY OF THERAPY, CUMULATIVE (INCL. COMBINATION PRODUCTS):

- | NRTI/NtRTI | NNRTI | PI | Entryinh. |
|---|---|---|--|
| <input type="checkbox"/> AZT (Retrovir [®]) | <input type="checkbox"/> EFV (Sustiva [®]) | <input type="checkbox"/> APV/FPV (Agen. [®] ;Telzir [®]) | <input type="checkbox"/> ENF (Fuzeon [®]) |
| <input type="checkbox"/> DDI (Videx [®]) | <input type="checkbox"/> DLV (Rescriptor [®]) | <input type="checkbox"/> IDV (Crixivan [®]) | <input type="checkbox"/> MVC (Celsentri [®]) |
| <input type="checkbox"/> D4T (Zerit [®]) | <input type="checkbox"/> NVP (Viramune [®]) | <input type="checkbox"/> NFV (Viracept [®]) | |
| <input type="checkbox"/> ABC (Ziagen [®]) | <input type="checkbox"/> ETR (Intelligence [®]) | <input type="checkbox"/> SQV (Invirase [®]) | Integraseinh. |
| <input type="checkbox"/> 3TC (Epivir [®]) | <input type="checkbox"/> RPV (Edurant [®]) | <input type="checkbox"/> LPV (Kaletra [®]) | <input type="checkbox"/> RAL (Isentress [®]) |
| <input type="checkbox"/> TDF (Viread [®]) | | <input type="checkbox"/> ATV (Reyataz [®]) | <input type="checkbox"/> EVG (GS-9137) |
| <input type="checkbox"/> FTC (Emtriva [®]) | | <input type="checkbox"/> TPV (Aptivus [®]) | |
| <input type="checkbox"/> DDC (Hivid [®]) | | <input type="checkbox"/> DRV (Prezista [®]) | |
| | | <input type="checkbox"/> RTV (Norvir [®]) | |
| <input type="checkbox"/> other: _____ | | <input type="checkbox"/> rtv (Norvir [®] , "Booster") | |

CURRENT THERAPY:

- | NRTI/NtRTI | NNRTI | PI | Entryinh. |
|---|---|--|--|
| <input type="checkbox"/> AZT (Retrovir [®]) | <input type="checkbox"/> EFV (Sustiva [®]) | <input type="checkbox"/> FPV (Telzir [®]) | <input type="checkbox"/> T-20 (ENV) |
| <input type="checkbox"/> DDI (Videx [®]) | <input type="checkbox"/> NVP (Viramune [®]) | <input type="checkbox"/> IDV (Crixivan [®]) | <input type="checkbox"/> MVC (Celsentri [®]) |
| <input type="checkbox"/> D4T (Zerit [®]) | <input type="checkbox"/> ETR (Intelligence [®]) | <input type="checkbox"/> NFV (Viracept [®]) | |
| <input type="checkbox"/> ABC (Ziagen [®]) | <input type="checkbox"/> RPV (Edurant [®]) | <input type="checkbox"/> SQV (Invirase [®]) | Integraseinh. |
| <input type="checkbox"/> 3TC (Epivir [®]) | | <input type="checkbox"/> LPV (Kaletra [®]) | <input type="checkbox"/> RAL (Isentress [®]) |
| <input type="checkbox"/> TDF (Viread [®]) | | <input type="checkbox"/> ATV (Reyataz [®]) | <input type="checkbox"/> EVG (comp. of Stribild [®]) |
| <input type="checkbox"/> FTC (Emtriva [®]) | | <input type="checkbox"/> TPV (Aptivus [®]) | <input type="checkbox"/> DTG (Tivikay [®]) |
| <input type="checkbox"/> other: _____ | | <input type="checkbox"/> DRV (Prezista [®]) | |
| | | <input type="checkbox"/> rtv (Norvir [®] , "Booster") | |

DETERMINATION OF CORECEPTOR-USAGE (TROPISM-TESTING, 10 ML EDTA):

- Exclusion of CXCR4-tropic strains prior to MVC (Selsentry[®]) application

Determination of the current viral load prior to HIV drug resistance testing is mandatory.

Sampling date/time:

Signature: