

Disorder	Analysis	Quantity/Material	Frequency Test duration	Method
Abacavir hypersensitivity	HLA-B*57 / B*57:01	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Adrenogenital syndrome	HLA-B*47	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Adrenogenital syndrome (late-onset form)	HLA-B*14	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Acute anterior uveitis	HLA-B*27	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Allopurinol induced Stevens-Johnson Syndrome	HLA-B*58:01	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Birdshot chorioretinopathy	HLA-A*29	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Carbamazepine induced Stevens-Johnson Syndrome	HLA-B*15:02	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Celiac disease	HLA-DQA1*, -DQB1* (high resolution)	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Dermatitis herpetiformis	HLA-B*08, -DRB1*03, 07	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Diabetes mellitus type I (insulin-dependent)	DQB1*02, 03, 06 (high resolution)	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Felty syndrome	HLA-DRB1*04	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Idiopathic glomerulonephritis	HLA-DRB1*03	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Juvenile chronic arthritis	HLA-DRB1*08	3 ml EDTA blood	1-2x / week 5-6 days	NGS
M. Bechterew	HLA-B*27	3 ml EDTA blood	1-2x / week 5-6 days	NGS
M. Behcet	HLA-B*51	3 ml EDTA blood	1-2x / week 5-6 days	NGS
M. Reiter	HLA-B*27	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Narcolepsy	HLA-DQB1*06:02	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Neonatal autoimmune thrombocytopenia	HLA-DRB1*03, -DRB3*, -DQB1*02	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Postinfectious (reactive) arthritis	HLA-B*27	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Psoriasis arthropatica	HLA-B*27	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Rheumatoid arthritis	HLA-DRB1*01, 04, 10	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Sjogren's syndrome	HLA-DRB1*03	3 ml EDTA blood	1-2x / week 5-6 days	NGS
Uveal Melanoma, metastatic	HLA-A*02:01	3 ml EDTA blood	1-2x / week 5-6 days	NGS

**Note:**

According to the Genetic Diagnostics Act, every examination request for human genetic diagnostics must be accompanied by a declaration of consent from the patient or his legal representative.

Forms for this as well as request forms for the analyses are available in the download area of our homepage.